

2575W Hybrid Elliptical - 2 x 1K Tung. with 575W HMI

Power: 1 x 2K Circuit - 100AMP Bates / 230V

1 x 120V Circuit Std. Edison for HMI

Photometric Measurements are taken with lights at "FULL POWER"

575W HMI at Full Power - 6000°

Tungsten at Full Power - 3300°




Lighting & Grip, Inc.


PH: (805) 433-2200 / FAX: (805) 456-0888

20' High

Balloon Size: 7' Tall x 8' Dia.



Feet out from Center of Balloon



FOOT CANDLES

Foot Candles

2575W Hybrid Elliptical - 2 x 1K Tung. with 575W HMI

Power: 1 x 2K Circuit - 100AMP Bates / 230V

1 x 120V Circuit Std. Edison for HMI

Photometric Measurements are taken with lights at "FULL POWER"

575W HMI at Full Power - 6000°

Tungsten at Full Power - 3300°




Lighting & Grip, Inc.


PH: (805) 433-2200 / FAX: (805) 456-0888

25' High

Balloon Size: 7' Tall x 8' Dia.



Feet out from Center of Balloon



FOOT CANDLES

Foot Candles

2575W Hybrid Elliptical - 2 x 1K Tung. with 575W HMI

Power: 1 x 2K Circuit - 100AMP Bates / 230V

1 x 120V Circuit Std. Edison for HMI

Photometric Measurements are taken with lights at "FULL POWER"

575W HMI at Full Power - 6000°

Tungsten at Full Power - 3300°




Lighting & Grip, Inc.


PH: (805) 433-2200 / FAX: (805) 456-0888

35' High

Balloon Size: 7' Tall x 8' Dia.



Feet out from Center of Balloon



FOOT CANDLES

Foot Candles