

# 8.4K Hybrid Elliptical - 6 x 1K Tung. with 2 x 1.2K HMI

Power: 2 x 3K Circuit - 100AMP Bates / 230V

2 x 120V Circuit Std. Edison for HMI

Photometric Measurements are taken with lights at "FULL POWER"

HMI at Full Power - 5600°

Tungsten at Full Power - 3300°




*Lighting & Grip, Inc.*


PH: (805) 433-2200 / FAX: (805) 456-0888

**35' High**

Balloon Size: 9' Tall x 12' Dia.



Feet out from Center of Balloon



# 8.4K Hybrid Elliptical - 6 x 1K Tung. with 2 x 1.2K HMI

Power: 2 x 3K Circuit - 100AMP Bates / 230V

2 x 120V Circuit Std. Edison for HMI

Photometric Measurements are taken with lights at "FULL POWER"

HMI at Full Power - 5600°

Tungsten at Full Power - 3300°




*Lighting & Grip, Inc.*


PH: (805) 433-2200 / FAX: (805) 456-0888

**40' High**

Balloon Size: 9' Tall x 12' Dia.



Feet out from Center of Balloon



FOOT CANDLES

Foot Candles

# 8.4K Hybrid Elliptical - 6 x 1K Tung. with 2 x 1.2K HMI

Power: 2 x 3K Circuit - 100AMP Bates / 230V

2 x 120V Circuit Std. Edison for HMI

Photometric Measurements are taken with lights at "FULL POWER"

HMI at Full Power - 5600°

Tungsten at Full Power - 3300°




Lighting & Grip, Inc.


PH: (805) 433-2200 / FAX: (805) 456-0888

45' High

Balloon Size: 9' Tall x 12' Dia.



Feet out from Center of Balloon



FOOT CANDLES

Foot Candles